


# **FCF Classic**

Interior Cabin Cooling



## **FCF Classic Self-Contained Units**

12,000 & 16,000 BTU/h

### Interior Cabin Cooling

FCF innovation starts with a balanced system for noise elimination. The compressor is carefully mounted to greatly reduce unwanted vibration and noises that can transfer into the cabin.

FCF stands for quality, including a long-lasting, baked on enamel finish, a robust blower that can handle multiple vents and comes standard with a digital control panel.

#### **Product Features:**

- Reverse cycle heat standard
- Extra low compressor vibration and noise
- Replaceable air filter for cleaner air
- High velocity / 3-speed / 360° rotatable blower
- Units available in 12,000 and 16,000 BTU/h
- Corrosion-free stainless steel condensation tray
- Multi-inlet port evaporator

### **Now Available**

#### **NEW FCF Remote Control**

- Control your FCF from any place on your vessel
- Standard with FCF 12k & 16k
  Classic Units

Part Number 5012610A







# **FCF Classic Self-Contained Units**

12,000 & 16,000 BTU/h



FCF Classic 12,000 BTU/h

FCF Classic 16,000 BTU/h

### **Technical Specifications**

	FCF Clas	FCF Classic 12,000		FCF Classic16,000	
Rated Voltage	115V	230V	115V	230V	
Part Number	FCF0012000GS	FCF0012023G	FCF0016000GS	FCF0016023G	
Cooling Capacity	12,00	12,000 BTU/h		16,000 BTU/h	
Rated Frequency	60Hz	50 / 60Hz	60Hz	50 / 60Hz	
Average Load	8.5 A	4.5 A	11 A	5.5 A	
Min. Supply Air	50 in <sup>2</sup> (	50 in² (323 cm²)		60 in <sup>2</sup> (387 cm <sup>2</sup> )	
Min. Return Air	100 in <sup>2</sup>	100 in² (645 cm²)		140 in² (903 cm²)	
Net Weight	68 lbs	68 lbs. (31 kg)		76 lbs (33 kg)	
Blower Output	410 cfm	410 cfm (696 m³/h)		505 cfm (858 m³/h)	
Ducting Collar (Diameter)		5 in (127 mm)			
Seawater Inlet / Outlet (Diameter)		0.750 in (19 mm)			
Drain Pan Outlet (Diameter)		0.625 in (15.9 mm)			

## **FCF Classic Complete System Kits**

12,000 & 16,000 BTU/h

FCF Classic complete system kits include all components which work to provide a cool, quiet environment on-board.



### Kit Components



Return Air Grille, Supply Air Grille, Air Divider Hose, Transition Box, Flexible Insulated Duct, Heavy Duty Sewater Hose, Seawater Strainer w/ Scoop, Hardware and Fittings

### **FCF Classic Complete System Kits**

Part Number	Description		
5012242A	FCF Classic 12,000 BTU 115V Complete System Kit w/ KoolAir PM1000 Pump		
5012243A	FCF Classic 12,000 BTU 230V Complete System Kit w/ KoolAir PM1000 Pump		
5012246A	FCF Classic 12,000 BTU 115V Complete System Kit w/ KoolAir SPM1000 Pump		
5012447A	FCF Classic 12,000 BTU 230V Complete System Kit w/ KoolAir SPM1000 Pump		
5012244A	FCF Classic 16,000 BTU 115V Complete System Kit w/ KoolAir PM1000 Pump		
5012245A	FCF Classic 16,000 BTU 230V Complete System Kit w/ KoolAir PM1000 Pump		
5012248A	FCF Classic 16,000 BTU 115V Complete System Kit w/ KoolAir SPM1000 Pump		
5012249A	FCF Classic 16,000 BTU 230V Complete System Kit w/ KoolAir SPM1000 Pump		

Webasto Thermo & Comfort North America, Inc.

Fenton, Michigan 48430

USA

Toll Free: 800-860-7866 Phone: 810-593-6000